

IN THE CLAIMS:

This listing of claims will replace all prior versions, and listings, of claims in the application:

1.-3. (Cancelled)

4. (Currently Amended) An electronic apparatus comprising:

a casing; and

a pair of speaker units, left and right, located in the casing,

each of the speaker units including a cabinet, a speaker arranged in the cabinet and exposed to the outside of the cabinet, and a port which is defined in the cabinet to open the outside of the cabinet and through which a sound emitted from the backside of the speaker into the cabinet is radiated outward from the cabinet and into the casing,

the speaker being exposed to the outside of the casing through an opening defined in an outside wall of the casing, and ~~the port of the speaker unit opening into the casing~~ the casing having openings through which sounds emitted from the ports of the speaker units into the casing and synthesized together in the casing are radiated to the outside of the casing.

5. (Original) An electronic apparatus according to claim 4, wherein the respective cabinets of the speaker units have different capacities.

6. (Original) An electronic apparatus according to claim 4, wherein the speaker units are arranged in the casing with the respective ports thereof opposed to each other.

7. (Original) An electronic apparatus according to claim 4, wherein the speaker units are arranged in the casing with the respective ports thereof oriented in the same direction.

8. (Original) An electronic apparatus according to claim 4, wherein the cabinet of each speaker unit has a top face in contact with an inner surface of the outside wall and a

protrusion protruding from the top face and passed through the opening in the outside wall, and the speaker is located in the cabinet so as to be exposed to the protrusion.

9. (Original) An electronic apparatus according to claim 4, which further comprises a display unit having a display panel and connected to the casing, and a keyboard attached to the casing.

10. (New) An electronic apparatus according to claim 4, wherein each of the speaker units further includes a duct that defines a tortuous passage that communicates the rear of the speaker with the port.

11. (New) An electronic apparatus according to claim 4, wherein the speaker units are mounted inside the casing with at least one removable fastener.

12. (New) An electronic apparatus according to claim 11, wherein at least one removable fastener is a screw.

13. (New) An electronic apparatus according to claim 4, wherein the casing is a laptop computer, and the speaker units are positioned at the left and right corners of the top wall of the laptop computer, respectively.

14. (New) An electronic apparatus according to claim 13, wherein the speakers are oriented towards the top wall of the laptop computer and the ports are oriented toward the front wall of the laptop computer.

15. (New) An electronic apparatus according to claim 13, wherein the speakers are oriented towards the top wall of the laptop computer and the ports are oriented toward the opposite sidewalls of the laptop computer, such that the respective ports are opposed to each other.

15. (New) An electronic apparatus according to claim 8, wherein the casing includes partition walls extending from a top surface of the casing which surround the openings, respectively.

16. (New) An electronic apparatus according to claim 15, further comprising protective nets that cover the partition wall and the openings.